

RH REGIONAL
HOSE & HYDRAULICS

CANAFLEX
FLEXIBLE CONNECTIONS

regionalhose.com ■

canaflex.com ■

HYDRAULICS
PNEUMATICS
FLUID
CONNECTORS
ACCESSORIES

EXPRESS PROGRAM



HYDRAULIC PUMPS

GEAR PUMPS



PART #	DESCRIPTION	DISPL	FLANGE	SHAFT	SIDE PORTS	ROTATION
3319111230	PGP505A0020CJ3H1ND3D2B1B1	2.0CC	SAE A-A	1/2" X 1/8" KEY	SAE -8 (3/4"-16 UNF) X SAE -6 (9/16"-18 UNF)	CW
3319111543	PGP505A0030CJ3H1ND3D2B1B1	3.0CC	SAE A-A	1/2" X 1/8" KEY	SAE -8 (3/4"-16 UNF) X SAE -6 (9/16"-18 UNF)	CW
3319111544	PGP505A0040CJ3H1ND3D2B1B1	4.0CC	SAE A-A	1/2" X 1/8" KEY	SAE -8 (3/4"-16 UNF) X SAE -6 (9/16"-18 UNF)	CW
3319111545	PGP505A0050CJ3H1ND4D2B1B1	5.0CC	SAE A-A	1/2" X 1/8" KEY	SAE -8 (3/4"-16 UNF) X SAE -6 (9/16"-18 UNF)	CW
3319111546	PGP505M0060CJ3H1ND4D2B1B1	6.0CC	SAE A-A	1/2" X 1/8" KEY	SAE -8 (3/4"-16 UNF) X SAE -6 (9/16"-18 UNF)	CW
3319111547	PGP505M0080CJ3H1ND4D3B1B1	8.0CC	SAE A-A	1/2" X 1/8" KEY	SAE -8 (3/4"-16 UNF) X SAE -6 (9/16"-18 UNF)	CW

PART #	DESCRIPTION	DISPL	FLANGE	SHAFT	SIDE PORTS	ROTATION
3349116035	PGP511M0060CK1H2NDS4B1B1	6.0CC	SAE A 2B	5/8" X 0.156" KEY	SAE -12 (1 1/16 - 12 UN) X SAE -10 (7/8"-14 UNF)	CW
3349116036	PGP511M0080CK1H2NDS4B1B1	8.0CC	SAE A 2B	5/8" X 0.156" KEY	SAE -12 (1 1/16 - 12 UN) X SAE -10 (7/8"-14 UNF)	CW
3349116031	PGP511M0110CK1H2ND6DSB1B1	11.0CC	SAE A 2B	5/8" X 0.156" KEY	SAE -16 (1 S/16 - 12 UN) X SAE -12 (1 1/16 - 12 UN)	CW
3349116032	PGP511M0140CK1H2ND6DSB1B1	14.0CC	SAE A 2B	5/8" X 0.156" KEY	SAE -16 (1 S/16 - 12 UN) X SAE -12 (1 1/16 - 12 UN)	CW
3349116033	PGP511M0160CK1H2ND6DSB1B1	16.0CC	SAE A 2B	5/8" X 0.156" KEY	SAE -16 (1 S/16 - 12 UN) X SAE -12 (1 1/16 - 12 UN)	CW
3349116473	PGP511M0190CK1H2ND6DSB1B1	19.0CC	SAE A 2B	5/8" X 0.156" KEY	SAE -16 (1 S/16 - 12 UN) X SAE -12 (1 1/16 - 12 UN)	CW
3349116038	PGP511M0230CK1H2ND7D6B1B1	23.0CC	SAE A 2B	5/8" X 0.156" KEY	SAE -20 (1 S/8 - 12 UN) X SAE -16 (1 S/16 - 12 UN)	CW
3349116039	PGP511M0270CK1H2ND7D6B1B1	27.0CC	SAE A 2B	5/8" X 0.156" KEY	SAE -20 (1 S/8 - 12 UN) X SAE -16 (1 S/16 - 12 UN)	CW

PART #	DESCRIPTION	DISPL	FLANGE	SHAFT	SIDE PORTS	ROTATION
3349111579	PGP511M0060CA1H2MD5D4B1B1	6.0CC	SAE A 2B	SAE A 9T SPL	SAE -12 (1 1/16 - 12 UN) X SAE -10 (7/8"-14 UNF)	CW
3349111580	PGP511M0080CA1H2MD5D4B1B1	8.0CC	SAE A 2B	SAE A 9T SPL	SAE -12 (1 1/16 - 12 UN) X SAE -10 (7/8"-14 UNF)	CW
3349111582	PGP511M0110CA1H2MD6D5B1B1	11.0CC	SAE A 2B	SAE A 9T SPL	SAE -16 (1 5/16 - 12 UN) X SAE -12 (1 1/16 - 12 UN)	CW
3349111583	PGP511M0140CA1H2MD6D5B1B1	14.0CC	SAE A 2B	SAE A 9T SPL	SAE -16 (1 5/16 - 12 UN) X SAE -12 (1 1/16 - 12 UN)	CW
3349111584	PGP511M0160CA1H2MD6D5B1B1	16.0CC	SAE A 2B	SAE A 9T SPL	SAE -16 (1 5/16 - 12 UN) X SAE -12 (1 1/16 - 12 UN)	CW
3349111585	PGP511M0190CA1H2MD7D6B1B1	19.0CC	SAE A 2B	SAE A 9T SPL	SAE -20 (1 5/8 - 12 UN) X SAE -16 (1 5/16 - 12 UN)	CW
3349111586	PGP511M0230CA1H2MD7D6B1B1	23.0CC	SAE A 2B	SAE A 9T SPL	SAE -20 (1 5/8 - 12 UN) X SAE -16 (1 5/16 - 12 UN)	CW
3349111587	PGP511M0270CA1H2MD7D6B1B1	27.0CC	SAE A 2B	SAE A 9T SPL	SAE -20 (1 5/8 - 12 UN) X SAE -16 (1 5/16 - 12 UN)	CW

Regional Hose is an Aluminum Gear Pump Build Centre and can custom build a pump to your specifications.

HYDRAULIC PUMPS (CONTINUED)

PISTON PUMPS



PART #	DESCRIPTION	DISPLACEMENT	PORTS
PD018PS02SRS5BAM0E1200000	VOLUME STOP & REMOTE COMPENSATOR	18CC	SAE THREADED
PD028PS02SRS5BAM0E1200000	VOLUME STOP & REMOTE COMPENSATOR	28CC	SAE THREADED
PD045PS02SRS5BAM0E1200000	VOLUME STOP & REMOTE COMPENSATOR	45CC	SAE THREADED
PD060PS02SRU5BAM0E0000000	REMOTE COMPENSATOR	60CC	FLANGE
PD075PS02SRU5BAM0E0000000	REMOTE COMPENSATOR	75CC	FLANGE
PD100PS02SRU5BAM0E0000000	REMOTE COMPENSATOR	100CC	FLANGE
PD140PS02SRU5BAM0E0000000	REMOTE COMPENSATOR	140CC	FLANGE

MOUNTING DESIGNATION DESCRIPTIONS

STANDARD	18 / 28 / 45 / 60	60 / 75 / 85 / 100	140
SAE J744	SAE-A 2-BOLT	SAE-C 4-BOLT	SAE-D 4-BOLT

SHAFT DESCRIPTIONS

18	28 / 45	60 / 75 / 85	100	140
3/4" X 3/16" KEY	1" X 1/4" KEY	1-1/4" X 5/16" KEY	1-1/2" X 3/8" KEY	1-3/4" X 7/16" KEY

VOLUME STOP KIT	TORQUE CONTROL KIT PD 075S
S2E-19115-5K	S2E-20296-5



HIGH PRESSURE: WPF 6000 PSI



PART #	DESCRIPTION
WPF105QEVM2KS081	#8 SAE 6K PSI FILTER
WPF205QEVM2KS121	#12 SAE 6K PSI FILTER
WPF305QEVM2KS161	#16 SAE 6K PSI FILTER
WPF405QEVM2KS201	#20 SAE 6K PSI FILTER
946201	ELECT INDICATOR

MEDIUM PRESSURE: CN 1000PSI



PART #	DESCRIPTION
15CN210QEBM2KS124	3/4" SAE PORT
40CN210QEBM2KS244	1-1/2" SAE PORT

TANK TOP FILTERS: GLF



SINGLE LENGTH	DOUBLE LENGTH	DESCRIPTION
GLF2110QBPI161	GLF2210QBPI1611	1" SAE PORT
GLF3110QBPI241	GLF3210QBPI241	1-1/2" SAE PORT
	GLF4210QBPI2Y40MD	2" SAE / 2-1/2" CD61 PORT

SPIN-ON



3/4" NPT	1" NPT	1-1/4" NPT	DESCRIPTION
SAF-07-25-1	SSF-100-25-1	SSF-120-25-1	FILTER HEAD
921999	926169	926169	10 MICRON SINGLE LENGTH
925023	926170	926170	25 MICRON SINGLE LENGTH
	927736	927736	10 MICRON DOUBLE LENGTH

HYDRAULIC VALVES ■

DIRECTIONAL CONTROL VALVES



	PART # D03 VALVE DIN PLUG		PART # D05 VALVE DIN PLUG		PART # D08 VALVE DIN PLUG		DESCRIPTION
	120VAC	24VDC	120VAC	24VDC	120VAC	24VDC	
	D1VW020BNYW4	D1VW020BNJW4	D3W020BNYW4	D3W020BNJW4			2-POSITION SINGLE SOLENOID
	D1VW020DNYW4	D1VW020DNJW4					2-POSITION DOUBLE SOLENOID
	D1VW001CNYW4	D1VW001CNJW4	D3W001CNYW4	D3W001CNJW4	D61VW001C4NYW4	D61VW001C4NJW4	3-POSITION BLOCKED CENTER
	D1VW004CNYW4	D1VW004CNJW4	D3W004CNYW4	D3W004CNJW4	D61VW004C4NYW4	D61VW004C4NJW4	3-POSITION A&B TO T / P BLOCKED
	D1VW008CNYW4	D1VW008CNJW4	D3W008CNYW4	D3W008CNJW4			3-POSITION P TO T / A&B BLOCKED
	D1VW002CNYW4	D1VW002CNJW4	D3W002CNYW4	D3W002CNJW4			3-POSITION OPEN CENTER
	S18211TA041	S18211TA121	S18211TA041	S18211TA121			LIGHTED DIN PLUG CONNECTOR

ACCUMULATORS ■

BLADDER ACCUMULATORS

PART #	DESCRIPTION
BA01B3T0IP2	1 GALLON 3K PSI #20 SAE
BA02B3T0IP2	2.5 GALLON 3K PSI #24 SAE
BA05B3T0IP2	5 GALLON 3K PSI #24 SAE

SANDWICH VALVES & BASES



D03	D05	DESCRIPTION
FM2DDKN	FM3DDKVHT	SANDWICH FLOW CONTROL
CPOM2DDN	CPOM3DDN	SANDWICH DBL PO CHECK VALVE
CTI3SPS8S	CTI5SPS8S	SUB-BASE #8 SAE
CTI3P0ISA	CTI5P0ISA	1 STN MANIFOLD SAE PORTS
CTI3P0ISRA	CTI5P0ISRA	1 STN MANIFOLD W RELIEF CAVITY SAE
CTI03MBK	CTI05MBK	MANIFOLD BRACKET
CTI3PCP	AD05CPP	COVER PLATE

CARTRIDGE VALVES

PART #	FUNCTION	FLOW RATING	CAVITY	COIL
ADJUSTABLE RELIEF VALVE				



RAH101S10	100-1000 PSI	30GPM	C10-2	
RAH101S30	200-3000 PSI	30 GPM	C10-2	
RAH101S50	200-5000 PSI	30 GPM	C10-2	
RAH121S30	300-3000 PSI	50 GPM	C12-2	
RAH121S50	500-5000 PSI	50 GPM	C12-2	
RAH161S30	300-3000 PSI	80 GPM	C16-2	
RAH161S50	500-5000 PSI	80 GPM	C16-2	

PRESSURE REDUCING VALVE



PRH101S10	100-1000 PSI	15 GPM	C10-3	
PRH101S30	200-3000 PSI	15 GPM	C10-3	
PRH101S50	200-5000 PSI	15 GPM	C10-3	
PRH161S30	300-3000 PSI	40 GPM	C16-3	

NEEDLE VALVE

NVH101S		16 GPM	C10-2	
---------	--	--------	-------	--

FLOW CONTROL VALVE



FV101S		12 GPM	C10-2	
--------	--	--------	-------	--

CHECK VALVE



CVH103P	5 PSI CRACK	16 GPM	C10-2	
CVH103P80	80 PSI CRACK	16 GPM	C10-2	
CPH104P	31 PSI CRACK	8 GPM	C10-3	

SOLENOID/DIRECTIONAL CONTROL



DSL081C	2W NORMALLY CLOSED	8 GPM	C08-2	1/2"
DSL081N	2W NORMALLY OPEN	8 GPM	C08-2	1/2"
DSL101CR	2W NORMALLY CLOSED	15 GPM	C10-2	5/8"
DSL101NR	2W NORMALLY OPEN	15 GPM	C10-2	5/8"
DSL103A	3W NORMALLY OPEN/NORMALLY CLOSED SELECTOR	4.5-6 GPM	C10-3	5/8"
DSL103B	3W NORMALLY OPEN/NORMALLY CLOSED SELECTOR	8 GPM	C10-3	5/8"

COUNTERBALANCE VALVES



CB101AS10	3:1 RATIO 300-1300 PSI	12 GPM	C10-3	
CB101AS20	3:1 RATIO 1000-2500 PSI	12 GPM	C10-3	
CB101AS30	3:1 RATIO 2400-5000 PSI	12 GPM	C10-3	

■ HYDRAULIC VALVES (CONTINUED)

MONITORED VALVES

SV10P22A0N24DGM3	NORMALLY CLOSED 3000 PSI 24VDC W/ PROX SWITCH		C10-2	
SV12P22A0N24DGM3	NORMALLY CLOSED 3000 PSI 24VDC W/ PROX SWITCH		C12-2	
SV16P22A0N24DGM3	NORMALLY CLOSED 3000 PSI 24VDC W/ PROX SWITCH		C16-2	

CAVITY BODIES



PART#	TYPE	PORTS	MATERIAL	PRESSURE
B08-2-A4T	C08-2	#4 SAE	ALUMINUM	3000 PSI
B08-2-A6T	C08-2	#6 SAE	ALUMINUM	3000 PSI
B10-2-8T	C10-2	#8 SAE	STEEL	5000 PSI
B10-2-A6T	C10-2	#6 SAE	ALUMINUM	3000 PSI
B10-2-A8T	C10-2	#8 SAE	ALUMINUM	3000 PSI
B12-2-A12T	C12-2	#12 SAE	ALUMINUM	3000 PSI
B16-2-16T	C16-2	#16 SAE	STEEL	5000 PSI
B16-2-A12T	C16-2	#12 SAE	ALUMINUM	3000 PSI
B16-2-A16T	C16-2	#16 SAE	ALUMINUM	3000 PSI
B10-3-8T	C10-3	#8 SAE	STEEL	5000 PSI
B10-3-A8T	C10-3	#8 SAE	ALUMINUM	3000 PSI
B16-3-A16T	C16-3	#16 SAE	ALUMINUM	3000 PSI

COILS



PART#	SIZE	VOLTAGE
CCP012D	1/2"	12VDC
CCP024D	1/2"	24VDC
CCP115D	1/2"	120VAC
CAP012D	5/8"	12VDC
CAP024D	5/8"	24VDC
CAP115D	5/8"	120VAC

ACCESSORY VALVES ■

HYDRAULIC BALL VALVE



FLOW CONTROL (NPT)



CHECK VALVE (NPT)



NEEDLE VALVE (NPT)



NPT 7250 PSI	SAE 7250 PSI	STEEL 5000 PSI	BRASS 2000 PSI	STEEL 5000 PSI	BRASS 2000 PSI	STEEL 5000 PSI	BRASS 2000 PSI	SIZE
BBV2N048001M	BBV2U048001M	F400S	F400B	C400S	C400B	N400S	N400B	1/4"
BBV2N068001M	BBV2U068001M	F600S	F600B	C600S	C600B	N600S	N600B	3/8"
BBV2N088001M	BBV2U088001M	F800S	F800B	C800S	C800B	N800S	N800B	1/2"
BBV2N128001M	BBV2U128001M	F1200S		C1200S				3/4"
BBV2N168001H	BBV2U168001H	F1600S *		C1600S *				1"


*3000PSI

HEAT EXCHANGERS ■



LET US KNOW MOTOR REQUIREMENTS TO INCLUDE MOTOR

PART # (W/OUT MOTOR)	ACOUSTIC PRESSURE LEVEL	# OF POLE	WEIGHT LBS. (APPROX.)	P SAE O-RING	Q SAE O-RING BOSS
ULAC-007B-W000SW	69	4/0.5	33	1/2" (#8)	1" (#16)
ULAC-016B-W000SW	74	4/0.5	53	1/2" (#8)	1" (#16)
ULAC-023D-W000SW	81	4/1	79	1/2" (#8)	1" (#16)
ULAC-044F-W000SW	87	4/3	197	1/2" (#8)	1 1/4" (#20)



RESERVOIR ACCESSORIES

PART#	DESCRIPTION
LEVEL/TEMP GAUGE	
	
FL69121	3" BOLT TO BOLT CENTER
FL69221	5" BOLT TO BOLT CENTER
FL69321	10" BOLT TO BOLT CENTER
SUCTION STRAINER	
	
937482	3/4" NPT
937484	1" NPT
937490	1 1/2" NPT
937492	2" NPT
FILLER BREATHER	
	
AB.1163.10	3" METAL BAYONETTE
AB.1380.10	1.75" METAL BAYONETTE
SMBT47CS400N04	1/4" MALE NPT
SMBT80S400N120	3/4" MALE NPT
SPB-S-1-10-N08-0	1/2" MALE NPT PLASTIC
SPB-S-1-10-N12-0	3/4" MALE NPT PLASTIC

AIR OPERATED DIAPHRAGM PUMPS

			
PART#	CONNECTION	PUMP MATERIAL	DIAPHRAGM MATERIAL
15-2696	1/2" NPT	ALUMINUM	BUNA
25-2696	1" INLET X 3/4" OUTLET NPT	ALUMINUM	BUNA
40-2696	1.5" NPT	ALUMINUM	BUNA
50-2696	2" NPT	ALUMINUM	BUNA
80-2696	3" NPT	ALUMINUM	BUNA
07-1261	1/4" NPT	POLY	TEFLON
15-1261	1/2" NPT	POLY	TEFLON
25-901261	1" 150# FLANGE	POLY	TEFLON
50-12611	2" 150# FLANGE	POLY	TEFLON

ACTUATED BALL VALVES

		
SS 2 WAY SPRING RETURN	SS 2 WAY DOUBLE ACTING	SIZE
700076-1/2-SR	700076-1/2-DA	1/2"
700076-3/4-SR	700076-3/4-DA	3/4"
700076-1-SR	700076-1-DA	1"
700076-1-1/4-SR	700076-1-1/4-DA	1 1/4"
700076-1-1/2-SR	700076-1-1/2-DA	1 1/2"
700076-2-SR	700076-2-DA	2"

■ ACTUATED BALL VALVES (CONTINUED)

NAMUR MOUNT PILOT VALVE




PART#	VOLTAGE
U341N05ND1E	24VAC
U341N05ND1F	120VAC
U341N05ND1G	240VAC
U341N05ND1A	12VDC
U341N05ND1B	24VDC

■ VIKING DIRECTIONAL AIR VALVES



5/2 DOUBLE SOLENOID		5/2 SINGLE SOLENOID		NPT PORTS
120VAC	24VDC	120VAC	24VDC	
P2LAZ591EENDBB53	P2LAZ591EENDBB49	P2LAZ591ESNDBB53	P2LAZ591ESNDBB49	1/8"
P2LBZ592EENDBB53	P2LBZ592EENDBB49	P2LBZ592ESNDBB53	P2LBZ592ESNDBB49	1/4"
P2LCZ593EENDBB53	P2LCZ593EENDBB49	P2LCZ593ESNDBB53	P2LCZ593ESNDBB49	3/8"
P2LDX594EEKDB53	P2LDX594EEKDB49	P2LDX594ESNDBB53	P2LDX594ESNDBB49	1/2"

3/2 SINGLE SOLENOID		5/3 BLOCK CENTER		NPT PORTS
120VAC	24VDC	120VAC	24VDC	
P2LAZ391ESNDBB53	P2LAZ391ESNDBB49	P2LAZ691EENDBB53	P2LAZ691EENDBB49	1/8"
P2LBZ392ESNDBB53	P2LBZ392ESNDBB49	P2LBZ692EENDBB53	P2LBZ692EENDBB49	1/4"
P2LCZ393ESNDBB53	P2LCZ393ESNDBB49	P2LCZ693EENDBB53	P2LCZ693EENDBB49	3/8"
P2LDX394ESNDBB53	P2LDX394ESNDBB49	P2LDX694EENDBB53	P2LDX694EENDBB49	1/2"



22 MM RECTANGULAR 3-PIN -TYPE B INDUSTRIAL		
DESCRIPTION	CONNECTOR WITH 6' (2M) CORD	CONNECTOR
UNLIGHTED	PS2429JBP	PS2429BP

AIR PREPARATION ■



FILTER	REGULATOR	LUBRICATOR	PIGGYBACK F/R	FRL ASSEMBLY C/W BRK/GAUGE	SIZE
P31FB92EGMN	P31RB92BNNP	P31LB92LGNN	P31EB92EGMBNNP	FRL-1/4-P31	1/4" NPT COMPACT
P32FB92EGMN	P32RB92BNNP	P32LB92LGNN	P32EB92EGMBNNP	FRL-1/4	1/4" NPT
P32FB93EGMN	P32RB93BNNP	P32LB93LGNN	P32EB93EGMBNNP	FRL-3/8	3/8" NPT
P32FB94EGMN	P32RB94BNNP	P32LB94LGNN	P32EB94EGMBNNP	FRL-1/2	1/2" NPT
P33FA96EGMN	P33RA96BNNP	P33LA96LGNN	P33EA96EGMBNNP	FRL-3/4	3/4" NPT
F602-08WJ	R119-08C	L606-08W		FRL-1-HF	1" NPT

*GAUGE NOT INCLUDED

SAFETY EXHAUST ■



PART#	DESCRIPTION
P33TB96DBEN	3/4" NPT SAFETY REDUNDANT WITH SOFT START



BRASS 2 WAY NORMALLY CLOSED



PART#	SIZE	PRESSURE	FLOW
7121KBN2NV00	1/4" NPT	145 PSI	0.31 CV
7121KBN3SV00	3/8" NPT	150 PSI	2.50 CV
73218BN4UN00	1/2" NPT	150 PSI	4.00 CV
73218BN5VN00	3/4" NPT	150 PSI	5.00 CV
7321GBN64N00	1" NPT	230 PSI	12.50 CV
7321GBN88N00	1-1/2" NPT	200 PSI	29.00 CV
7321GBN99N00	2" NPT	200 PSI	38.60 CV

COILS



DIN PLUG 30MM	CONDUIT	VOLTAGE
D100B2	C111B2	12VAC
D100C1	C111C1	12VDC
D100P3	C111P3	120VAC
D100C2	C111C2	24VDC



MUFFLER	SPEED CONTROL	FLOW CONTROL	CHECK VALVE	SIZE
SBM-1	045020002	003371000	003393000	1/8"
SBM-2	045040004	003371001	003393001	1/4"
SBM-3	045060060	003371002	003393002	3/8"
SBM-4	045080080	003371003	003393003	1/2"
SBM-6		003371004	003393004	3/4"

TUBING



OD	POLYURETHANE (CLEAR)	NYLON (NATURAL)	POLYETHELEYN (NATURAL)	TEFLON
1/4"	63440	61440	62440	101-0250031-NT-100
3/8"	63660	61660	62660	101-0375062-NT-100
1/2"	63870	61880	62880	101-0500062-NT-100
4MM	73030	71040		201-0400100-NT-100
6MM	73060	71060		201-0600100-NT-100
8MM (5/16")	73080	71080	62550	201-0800100-NT-100
10MM	73100	71110		
12MM	73130	71120		



GAUGES

	2.5" DIAL LIQUID FILLED 1/4" NPT		2" DIAL DRY NPT		
	BOTTOM MOUNT	BACK MOUNT	1/8" BACK	1/4" BOTTOM	1/4" BACK
					
0-30" HG VACUUM	PFQ801	PFQ900			
0-15 PSI	PFQ800	PFQ901		PEM136	PEM1429
0-30 PSI	PFQ802	PFQ902	PEM1402	PEM199	PEM1403
0-60 PSI	PFQ803	PFQ903	PEM1404	PEM201	PEM1405
0-100 PSI	PFQ804	PFQ904	PEM1406	PEM202	PEM1407
0-160 PSI	PFQ805	PFQ905	PEM1408	PEM203	PEM1409
0-200 PSI	PFQ806	PFQ906			
0-300 PSI	PFQ807	PFQ907			
0-600 PSI	PFQ808	PFQ908			
0-1000 PSI	PFQ809	PFQ909			
0-1500 PSI	PFQ816	PFQ914			
0-2000 PSI	PFQ810	PFQ910			
0-3000 PSI	PFQ811	PFQ911			
0-5000 PSI	PFQ812	PFQ912			
0-10,000 PSI	PFQ813	PFQ913			



BALL AND GATE VALVES

	BRASS BALL VALVE		STAINLESS STEEL BALL VALVE	BRASS GATE VALVE
	LOCKING HANDLE	NON-LOCKING HANDLE	LOCKING HANDLE	
				
1/4"	BALL-LH-.25-BR	BALL-.25-BR	BALL-.25-SS	GATE-.25
3/8"	BALL-LH-.375-BR	BALL-.375-BR	BALL-.375-SS	GATE-.375
1/2"	BALL-LH-.5-BR	BALL-.5-BR	BALL-.5-SS	GATE-.5
3/4"	BALL-LH-.75-BR	BALL-.75-BR	BALL-.75-SS	GATE-.75
1"	BALL-LH-1-BR	BALL-1-BR	BALL-1-SS	GATE-1
1.25"	BALL-LH-1.25-BR	BALL-1.25-BR	BALL-1.25-SS	GATE-1.25
1.50"	BALL-LH-1.5-BR	BALL-1.5-BR	BALL-1.5-SS	GATE-1.5
2"	BALL-LH-2-BR	BALL-2-BR	BALL-2-SS	GATE-2

HOSE REELS



PART #	DESCRIPTION
5450 OLP	1/4" ID X 50FT 1/4" MNPT MEDIUM DUTY
5650 OLP	3/8" ID X 50FT 1/4" MNPT MEDIUM DUTY
A5850 OLP	1/2" ID X 50FT 1/2" MNPT MEDIUM DUTY
CA32112L	MANUAL HOSE REEL 1/2" X 200' CAPACITY
CA33112L	MANUAL HOSE REEL 3/4" X 100' CAPACITY
7650 OLP	3/8" ID X 50FT 1/4" MNPT HEAVY DUTY
7850 OLP	1/2" ID X 50FT 3/8" MNPT HEAVY DUTY
82100 OLP	1/2" X 100' SPRING REWIND
81100 OLP	3/8" X 100' SPRING REWIND

ACCESSORIES

ACCESSOIRES



PART #	DESCRIPTION
ATL-1	AIR TOOL OIL 1L
ATL-4	AIR TOOL OIL 4L
RF019-B25	RAGS 25LB
OILDY-20	OIL DRY
ICEMELTER	ICE MELTER 22LB
121-M8W	WHITE TEFLON TAPE
121-M8O	ORANGE TEFLON TAPE
PD250BT	PIPE DOPE 250ML
OR-LUBE	O-RING LUBRICANT
AW32-20L	HYDRAULIC OIL 32
AW46-20L	HYDRAULIC OIL 46
LOCTITE-54531	HYD/PNE THREAD SEALANT 50ML



STRONGER TOGETHER

INTRODUCING YOUR FLUID POWER TEAM





Big Rock Machine & Tool is a full service machine shop with quick turnaround for any custom needs.



